

**Run Statistics by Week in FY-15**

Run Statistics by Week in FY-15														
Faults														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Sum
Run 14-3	6	1	0	2	1	1	1	0	0	0	0			12
Run 15-1	2	1	2	2	0	1	3	2	0	1	1	2		17
Run 15-2	0	1	0	0	2	0	0	0	2	2	0			7
														36
MTBF														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 13-3	22.42	143.31	120	141.96	144.62	141.78	142.72	182.58	96	144	144			128.1
Run 15-1	79.3	143.7	71.3	59.0	142.5	143.3	46.4	69.4	144	142.1	143.3	142.2		99.9
Run 15-2	168.0	143.0	144.0	216.0	81.5	144.0	144.0	144.0	71.5	69.8	160.0			244.1
Average	89.9	143.3	111.8	139.0	122.9	143.0	111.0	132.0	103.8	118.6	149.1	142.2	#DIV/0!	157.4
Availability														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 14-3	93.40%	99.52%	100.00%	98.58%	99.74%	98.46%	99.11%	100.00%	100.00%	100.00%	100.00%			99.0%
Run 15-1	94.5%	99.8%	99.0%	98.3%	99.7%	99.5%	96.7%	96.4%	100.00%	98.7%	99.5%	98.8%		98.3%
Run 15-2	100.0%	99.3%	100.0%	100.0%	97.0%	97.0%	100.0%	100.0%	99.3%	97.0%	100.0%			99.3%
Average	96.0%	99.5%	99.7%	99.0%	98.8%	98.3%	98.6%	98.8%	99.8%	98.5%	99.8%	98.8%		98.9%
Injector	Availability													
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 14-3	97.2%	100.0%	99.8%	96.8%	99.8%	100.0%	99.5%	100.0%	99.9%	100.0%	100.0%			99.1%
Run 15-1	100.0%	99.8%	99.1%	100.0%	99.0%	96.9%	97.2%	99.7%	99.9%	100.0%	100.0%	100.0%		99.1%
Run 15-2	99.3%	100.0%	98.6%	100.0%	100.0%	100.0%	100.0%	100.0%	97.6%	99.9%	100.0%			99.4%
Average	98.8%	99.9%	99.2%	98.9%	99.6%	99.0%	98.9%	99.9%	99.1%	100.0%	100.0%	100.0%		99.2%

Yellow shaded areas indicated weeks in which operational goals of 97% availability and/or 70 hours MTBF were met

Statistics through

August 26, 2015