

Run Statistics by Week in FY-16

Run Statistics by Week in FY-16														
Faults														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Sum
Run 15-3	2	1	2	1	1	2	1	0	0	0	3			13
Run 16-1	1	2	0	0	3	0	0	0	3	5	1	2		17
Run 16-2	1	0	3	1	0	0	0	3	2	1	1	4		16
														46
MTBF														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 15-3	82.55	142.96	70.9	117.56	143.36	71.03	182.51	95.98	144	144	37.91			117.93
Run 16-1	167.3	71.0	144.0	120.0	46.0	143.0	144.0	144.0	47.48	27.6	142.4	79.3		101.4
Run 16-2	119.5	144.0	45.6	143.8	118.9	144.0	144.0	47.4	58.9	140.0	141.9	46.1		104.9
Average	123.1	119.3	86.8	127.1	102.8	119.3	156.8	95.8	83.4	103.9	107.4	62.7	#DIV/0!	108.1
Availability														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 15-3	98.28%	99.28%	98.49%	97.17%	99.57%	98.65%	99.19%	100.00%	100.00%	100.00%	94.76%			98.72%
Run 16-1	99.6%	98.7%	100.0%	100.0%	95.9%	100.0%	100.0%	100.0%	98.9%	95.7%	98.9%	99.1%		98.9%
Run 16-2	99.6%	100.0%	94.9%	99.9%	100.0%	100.0%	100.0%	98.8%	98.1%	97.2%	98.5%	96.1%		98.5%
Average	99.1%	99.3%	97.8%	99.0%	98.5%	99.6%	99.7%	99.6%	99.0%	97.6%	97.4%	97.6%		98.7%
Injector	Availability													
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 15-3	99.8%	100.0%	99.8%	96.6%	98.1%	100.0%	92.7%	100.0%	99.3%	100.0%	100.0%			98.2%
Run 16-1	100.0%	99.1%	97.5%	100.0%	99.3%	99.6%	100.0%	100.0%	96.5%	97.0%	92.5%	100.0%		97.9%
Run 16-2	89.3%	97.2%	98.1%	95.0%	96.5%	97.9%	100.0%	100.0%	96.6%	97.6%	96.1%	99.8%		96.6%
Average	96.3%	98.8%	98.5%	97.2%	98.0%	99.1%	97.6%	100.0%	97.5%	98.2%	96.2%	99.9%		97.6%

Yellow shaded areas indicated weeks in which operational goals of 97% availability and/or 70 hours MTBF were met

Statistics through

August 25, 2016